

Toezicht t-stuk mof/mof

○ Productkenmerken

Het PVC-hulpstuk, 70 jaar geleden uitgevonden door Nicoll, is vandaag verkrijgbaar in meer dan 1000 uitvoeringen en vormt daarmee het breedste assortiment op de markt. Met de PVC-hulpstukken van Nicoll kunnen alle verbindingen en richtingsveranderingen worden gerealiseerd in vrijvervalsysteem voor afvalwater, in combinatie met alle buizen op de markt.

Nicoll biedt een 'op maat gemaakte' service aan om aan alle bouwconfiguraties te kunnen voldoen.

Het toezicht-T-stuk met stop biedt gemakkelijke toegang tot de leiding.

○ Technische beschrijving

Diameter	32 à 200
Kleur	Grijs
Materiaal	PVC

De voordelen van Nicoll Performance

- Productiekwaliteit: gegarandeerde stevigheid voor weerstand tegen allerlei schokken en een eenvoudige verwerking
- De certificeringen NFe en NFMe garanderen constante productprestaties en conformiteit met de normen
- Hulpstukken van glad, niet-microporeus PVC: voorkomen de ophoping van verontreinigingen

De voordelen van Nicoll-installatie

- Biedt directe en veilige toegang tot het leidingnet, zowel bij verticale als horizontale plaatsing
- De buis is gemakkelijk in te steken dankzij de nauwkeurige maattoleranties

Toezicht t-stuk mof/mof



product.detail.attribute.sku	Application	Colour	Diameter 1 (mm)	Diameter 1 label	Material	Type	Assembly type	Weight (kg)
G2F	Indoor	Light grey	32	ø Raccord	PVC	Female/Female	To be glued	0.065
G2H	Indoor	Light grey	40	ø Raccord	PVC	Female/Female	To be glued	0.092
G2J	Indoor	Light grey	50	ø Raccord	PVC	Female/Female	To be glued	0.154
G2B	Indoor	Light grey	200	ø Raccord	PVC	Female/Female	To be glued	2.225
G2L	Indoor	Light grey	63	ø Raccord	PVC	Female/Female	To be glued	0.252
G2P	Indoor	Light grey	75	ø Raccord	PVC	Female/Female	To be glued	0.35
G2R	Indoor	Light grey	80	ø Raccord	PVC	Female/Female	To be glued	0.392
G2S	Indoor	Light grey	90	ø Raccord	PVC	Female/Female	To be glued	0.48
G2T	Indoor	Light grey	100	ø Raccord	PVC	Female/Female	To be glued	0.451
G2V	Indoor	Light grey	110	ø Raccord	PVC	Female/Female	To be glued	0.543
G2X	Indoor	Light grey	125	ø Raccord	PVC	Female/Female	To be glued	0.919

Toezicht t-stuk mof/mof

product.detail.attribute.sku	Application	Colour	Diameter 1 (mm)	Diameter 1 label	Material	Type	Assembly type	Weight (kg)
G2Y	Indoor	Light grey	140	ø Raccord	PVC	Female/ Female	To be glued	1.225
G2Z	Indoor	Light grey	160	ø Raccord	PVC	Female/ Female	To be glued	1.557