

Toezicht t-stuk mof/spie

○ Productkenmerken

Het PVC-hulpstuk, 70 jaar geleden uitgevonden door Nicoll, is vandaag verkrijgbaar in meer dan 1000 uitvoeringen en vormt daarmee het breedste assortiment op de markt. Met de PVC-hulpstukken van Nicoll kunnen alle verbindingen en richtingsveranderingen worden gerealiseerd in vrijvervalsystemen voor afvalwater, in combinatie met alle buizen op de markt.

Nicoll biedt een 'op maat gemaakte' service aan om aan alle bouwconfiguraties te kunnen voldoen.

Het toezicht-T-stuk met stop biedt gemakkelijke toegang tot de leiding.

○ Technische beschrijving

Diameter	32 à 200
Kleur	Grijs
Materiaal	PVC

De voordelen van Nicoll Performance

- Productiekwaliteit: gegarandeerde stevigheid voor weerstand tegen allerlei schokken en een eenvoudige verwerking
- De certificeringen NFMe en NFe garanderen constante productprestaties en conformiteit met de normen
- Hulpstukken van glad, niet-microporeus PVC: voorkomen de ophoping van verontreinigingen

De voordelen van Nicoll-installatie

- Biedt directe en veilige toegang tot het leidingnet, zowel bij verticale als horizontale plaatsing
- De buis is gemakkelijk in te steken dankzij de nauwkeurige maattoleranties

Toezicht t-stuk mof/spie



product.detail.attribute.sku	Diameter (mm)	Application	Colour	Diameter 1 (mm)	Diameter 1 label	Material	Type	Assembly type	Weight (kg)
GF	32	Indoor	Light grey	32	ø Raccord	PVC	Male/ Female	To be glued	0.057
GH	40	Indoor	Light grey	40	ø Raccord	PVC	Male/ Female	To be glued	0.058
GJ	50	Indoor	Light grey	50	ø Raccord	PVC	Male/ Female	To be glued	0.086
VB8	200	Indoor	Light grey	200	ø Raccord	PVC	Male/ Female	To be glued	2.118
VL8	-	Indoor	Light grey	63	ø Raccord	PVC	Male/ Female	To be glued	0.214
VP8	75	Indoor	Light grey	75	ø Raccord	PVC	Male/ Female	To be glued	0.295
VR8	-	Indoor	Light grey	80	ø Raccord	PVC	Male/ Female	To be glued	0.377
VS8	-	Indoor	Light grey	90	ø Raccord	PVC	Male/ Female	To be glued	0.44
VT8	100	Indoor	Light grey	100	ø Raccord	PVC	Male/ Female	To be glued	0.449
VV8	110	Indoor	Light grey	110	ø Raccord	PVC	Male/ Female	To be glued	0.542
VX8	125	Indoor	Light grey	125	ø Raccord	PVC	Male/ Female	To be glued	0.902
VY8	-	Indoor	Light grey	140	ø Raccord	PVC	Male/ Female	To be glued	1.205

Toezicht t-stuk mof/spie

product.detail.attribute.sku	Diameter (mm)	Application	Colour	Diameter 1 (mm)	Diameter 1 label	Material	Type	Assembly type	Weight (kg)
VZ8	160	Indoor	Light grey	160	ø Raccord	PVC	Male/ Female	To be glued	1.574